

An ISO 9001: 2015 Certified

**Raito**<sup>®</sup>

RAITO ELECTRICALS PVT. LTD.



*Product*

Catalogue 2021-2022


Ceiling Fans | Exhaust Fans | Ventilation Fans | Table Fans | Pedestal Fans | Wall Fans | Immersion Rod | Gysers

An ISO 9001: 2015 Certified



## Infrastructure

At Raito Electricals, we have our state-of-art manufacturing facilities which enhances our products with reliability and long lasting capabilities.



### Stator Shop

- State-of-the-art winding process using CNC programmed winding machines.
- Compact & layered coils.
- Hi-tech microprocessor based testing equipment ensure long life of motor winding.
- Excellent quality 'Six Sigma'.

### Machine Shop

- CNC machining centre, double-ended specially tooled-up for motor end covers and rotors.
- High precision & consistency in machining system ensures zero defect.
- On line gauging with automaton for monitoring SPC.
- Higher productivity.

### Assembly

- Conveyorised motor & blade assembly lines ensure single piece flow & consistently high productivity.
- Each stage of assembly is equipped with latest technology machines & mechanisms.
- Automaton in online packing with latest technology machines for accuracy & productivity.

### Paint Shop

- Fully integrated state-of-the-art pre-treatment system & paint system.
- PLC controlled time cycle for transporter movement during pre-treatment process in each tank.
- PLC controlled paint system monitoring, reciprocator movement bell applicator for paint, conveyor speed etc.
- LPG operated ovens for baking ensures high heat transfer efficiency & pollution-free environment.

### Testing & Quality Control

- Latest technology testing equipment & systems used in process quality assurance.
- Modern testing facilities for motor & blade verification before packing.
- Internal product audit system at each stage of manufacturing to enhance customer delight.
- Fully integrated automation system air delivery measurement for ceiling fans.
- Modern CNC controlled testing panel to ensure quality and performance of each fan for all required parameters in an acoustic controlled environment.



An ISO 9001: 2015 Certified



### Our Presence

40+ Distributors

12+ Service Centres

100+ Dealers

6+ Super Stockists

3+ Gujarat, Rajasthan & UP



Always there for our customers.

# Toll Free Number

1800 891 8850



## What our Customers say!



4.8/5  
★★★★★  
80 Reviews  
(1 September 2021)



An ISO 9001: 2015 Certified

**Raito**

RAITO ELECTRICALS PVT. LTD.



High precision  
EMQ Bearings

CRNO Stamping

20% Extra Copper

1<sup>st</sup> Time in India\*



*Why*  
Raito?

**Raito** the name itself tells the story that we produce the Right product and you get the right one that is the reason we at Raito say **"CHOOSE RIGHT CHOOSE RAITO"**.

We believe in quality at its best and so that we are committed to deliver the best quality product in this highly competitive market. With the vast range of FANS starting from economy to super premium category to suit the budget and pocket of the Indian market.


www.raito.in

WITH

**DURO POWER TECHNOLOGY**



POWERFUL  
MOTOR



HIGH PRECISION  
EMQ BEARINGS



20% EXTRA  
COPPER



# Santoza

Prime

Smoke Brown

## Santoza Prime

Premium Ceiling Fan

### Specification

- Sweep = 1200mm
- Power Input = 75W
- Speed = 415 RPM
- Air Delivery (cu.mtr/min) = 240



Matt Wine



Pearl White



Rose Gold



Metallic Silver



# Venice

Prime

Coco Gold

## Venice Prime

Premium Ceiling Fan

### Specification

- Sweep = 1200mm
- Power Input = 75W
- Speed = 415 RPM
- Air Delivery (cu.mtr/min) = 240



Smoke Brown



Pearl White



Rose Gold




Bianco Ivory

An ISO 9001: 2015 Certified

**Raito**

RAITO ELECTRICALS PVT. LTD.




Pearl White



## Tejas

Premium Ceiling Fan



Smoke Brown



Coco Gold



Pearl Brown



Glossy Brown

*Tejas*  
Flow like a river

### Specification

- Sweep = 1200mm
- Power Input = 75W
- Speed = 400 RPM
- Air Delivery (cu.mtr/min) = 230





Metallic Bronze

*Star*

## Star

Premium Ceiling Fan



### Specification

- Sweep = 1200mm
- Power Input = 75W
- Speed = 400 RPM
- Air Delivery (cu.mtr/min) = 230



Ivory Pearl



Matt Black

## Curl

Premium Ceiling Fan



### Specification

- Sweep = 1200mm
- Power Input = 75W
- Speed = 400 RPM
- Air Delivery (cu.mtr/min) = 230



Pearl White



Satin Gold



An ISO 9001: 2015 Certified

**Raito**

RAITO ELECTRICALS PVT. LTD.



Smoke Brown

# Breeza

No more Sweat!

## Breeza

Decorative Ceiling Fan

### Specification

- Sweep = 1200mm
- Power Input = 75W
- Speed = 400 RPM
- Air Delivery (cu.mtr/min) = 230



**ANTI RUST**

ANTI RUST  
ON BLADES



HIGH AIR  
DELIVERY  
230 AD



White



Ivory



Matt Wine



Smoke Brown  
(900mm)



Coco Gold  
(900mm)



Smoke Brown



Coco Gold



Ivory



Matt Wine

## Elegance Plus

Decorative Ceiling Fan


### Specification

Sweep (In MM)	Power Input (In Watts)	Speed (In RPM)	Air Delivery (cu.mtr/min)
900	70W	450	215
1200	75W	400	230



Available Colors (900mm)  
Ivory, Smoke Brown, Coco Gold, Matt wine

www.raito.in



Engraved  
Design

Storm Grey

## SW-400

Standard Ceiling Fan



Pearl White



Ivory



Glossy Brown

### Specification

- Sweep = 1200mm
- Power Input = 70W
- Speed = 400 RPM
- Air Delivery (cu.mtr/min) = 230



www.raito.in



Smoke Brown

# Mini Brezza



Matt Brown



Ivory

## Mini Brezza

Decorative Ceiling Fan



### Specification

- Sweep = 600mm
- Power Input = 75W
- Speed = 800 RPM
- Air Delivery (cu.mtr/min) = 210



## Mini

Standard Ceiling Fan



### Specification

- Sweep = 600mm
- Power Input = 75W
- Speed = 800 RPM
- Air Delivery (cu.mtr/min) = 210



White



Ivory

An ISO 9001: 2015 Certified

**Raito**

RAITO ELECTRICALS PVT. LTD.



Glossy Brown

# Veer plus

Go with the flow

## Veer Plus

Standard Ceiling Fan

### Specification

Sweep (In MM)	Power Input (In Watts)	Speed (In RPM)	Air Delivery (cu.mtr/min)
900	75W	450	210
1200	70W	400	230



Ivory



Glossy Brown (900mm)



Smoke Brown



White



**ANTI RUST**  
ANTI RUST  
OF BLADES



**HIGH AIR DELIVERY**  
230 AD

Available Colors (900mm)  
Ivory, Smoke Brown, Glossy Brown, White

[www.raitoin.com](http://www.raitoin.com)



Glossy Brown



Glossy Brown

Tej

## Tej

Economy Ceiling Fan



### Specification

- Sweep = 1200mm
- Power Input = 70W
- Speed = 380 RPM
- Air Delivery (cu.mtr/min) = 210



## Hi-Flow+

Standard Ceiling Fan



Ivory



White

### Specification

- Sweep = 1200mm
- Power Input = 75W
- Speed = 400 RPM
- Air Delivery (cu.mtr/min) = 230



Ivory



White

# Toofan



## Toofan

Industrial Pedestal Fan



### Specification

- Sweep = 450mm
- Power Input = 150W
- Speed = 2600 RPM
- Air Delivery (cu.mtr/min) = 95



DOUBLE BALL BEARING



100% COPPER WINDING



HEAVY DUTY MOTOR



IDEAL FOR INDUSTRIES



HIGHSPEED

[www.raito.in](http://www.raito.in)

# Duro



## Duro

Industrial Pedestal Fan



### Specification

- Sweep = 500mm
- Power Input = 220W
- Speed = 1400 RPM
- Air Delivery (cu.mtr/min) = 125



DOUBLE BALL BEARING



100% COPPER WINDING



HEAVY DUTY MOTOR



IDEAL FOR INDUSTRIES



HIGHSPEED

[www.raito.in](http://www.raito.in)

An ISO 9001: 2015 Certified


**Raito**

RAITO ELECTRICALS PVT. LTD.

# Vaayu

# Super Flow



 Smooth Oscillation

## Vaayu

Pedestal Fan



### Specification

- Sweep = 500mm
- Power Input = 220W
- Speed = 1400 RPM
- Air Delivery (cu.mtr/min) = 125



AUTO SWING MOTOR FOR SMOOTH OSCILLATION



100% COPPER WINDING



HEAVY DUTY MOTOR



HIGHSPEED

[www.raito.in](http://www.raito.in)

## Super Flow

Pedestal Fan



### Specification

- Sweep = 400mm
- Power Input = 105W
- Speed = 2200 RPM
- Air Delivery (cu.mtr/min) = 87



AUTO SWING MOTOR FOR SMOOTH OSCILLATION



100% COPPER WINDING



HEAVY DUTY MOTOR



HIGHSPEED

[www.raito.in](http://www.raito.in)





*Express*  
Speed



## Thunder+

Pedastal Fan



### Specification

- Sweep = 400mm
- Power Input = 100W
- Speed = 2400 RPM
- Air Delivery (cu.mtr/min) = 95



HEAVY DUTY MOTOR



HIGH SPEED



SMOOTH OSCILLATION



100% COPPER WINDING



LOW NOISE

[www.raito.in](http://www.raito.in)



150mm | 200mm | 250mm

## Vento

Ventilation Fan



### Specification

Sweep (In MM)	Power Input (In Watts)	Speed (In RPM)	Air Delivery (cu.mtr/min)
150	36	1800	350
200	50	1800	450
250	38	1300	760



HIGH SPEED



AUTOMATIC DUST PROTECTION SHUTTER



POWERFUL AIR SUCTION

[www.raito.in](http://www.raito.in)



# Wall cum

Table fan



## Trendy

Wall cum Table Fan



### Specification

Sweep (In MM)	Power Input (In Watts)	Speed (In RPM)	Air Delivery (cu.mtr/min)
150	75	2400	75
225	75	2200	90

2 in 1



MULTI FUNCTION

3 SPEED MOTOR



IDEAL FOR SMALL SPACES



100% COPPER WINDING

www.raito.in



# Cabin

Ceiling fan

- Suitable for low height ceiling, offices, cabins, shops.

## RotoGrill

Cabin Fan



### Specification

- Sweep = 300mm
- Power Input = 75W
- Speed = 2200 RPM
- Air Delivery (cu.mtr/min) = 75



HIGH SPEED



360° ROTATING GRILL



IDEAL FOR SMALL CEILING



100% COPPER WINDING

www.raito.in



# All Purpose Fan



## Speedo

All purpose fan



### Specification

- Sweep = 300mm
- Power Input = 80W
- Speed = 2200 RPM
- Air Delivery (cu.mtr/min) = 87



HIGH SPEED

2 IN 1

TABLE + WALL



HEAVY METAL BASE



100% COPPER WINDING



Wall Fan

# Wall cum Table fan

Table fan



Table Fan

## Trio

Wall cum Table Fan



### Specification

Sweep (In MM)	Power Input (In Watts)	Speed (In RPM)	Air Delivery (cu.mtr/min)
300	100W	2400	87
400	100W	2400	87

2 in 1

WALL CUM TABLE FAN (ONLY IN 300MM)



HEAVY ABS BODY



SMOOTH OSCILLATION



100% COPPER WINDING



3 Ltr.

## Supreme

Electric Geyser



6, 10 & 15 Ltr.

## Fizzo

Electric Geyser

### Key Features



INNER TANK WARRANTY



PRODUCT WARRANTY



ROBUST CONSTRUCTION



NON RETURN DEVICE PRESENT



INSTANT HEATING (3 LTR.)



HIGH PRESSURE PROTECTION

PUF

PUF INSULATION (POLYURETHANE INSULATION) FOR ENERGY SAVING



SINGLE GLASSLINE 304 L.GRADE STAINLESS STEEL TANK (3 LTR.)



FOUR LAYER THERMAL PROTECTION



INNER TANK WARRANTY



PRODUCT WARRANTY



ROBUST CONSTRUCTION



NON RETURN DEVICE PRESENT



HEAVY METAL BODY



HIGH PRESSURE PROTECTION

FREE



16A POWER PLUG




FREE FLEXI CONNECTION PIPES

Relax & Refresh



*Drift*  
Air



## Drift Air

Exhaust fan



### Specification

Sweep (In MM)	Power Input (In Watts)	Speed (In RPM)	Air Delivery (cu.mtr/min)
225	40	1400	850
300	55	1400	1200



REVERSE FORWARD  
MECHANISM



HIGH AIR  
THRUST



IDEAL FOR  
BATHROOM



IDEAL FOR  
KITCHEN

230mm | 300mm

## Racer

Heavy duty Exhaust fan



375mm | 450mm

### Specification

Sweep (In MM)	Power Input (In Watts)	Speed (In RPM)	Air Delivery (cu.mtr/min)
375	160	1400	3250
450	160	1400	3250



DOUBLE BALL  
BEARING



HEAVY DUTY  
MOTOR



IDEAL FOR  
INDUSTRIES

*Racer*

Exhaust fan



1000W | 1500W | 2000W

## Creta+

Immersion rod



### Specification

- FIRE PROOF BAKELITE CONNECTOR
- MGO MAGNESIUM POWER
- BRASS CONTACTS
- SHOCK PROOF
- MOULDED 10A TOP
- HEAVY DUTY COPPER TUBE



3000W

## Element

Midget

### Specification

- MGO MAGNESIUM POWER
- BRASS CONTACTS
- HEAVY DUTY COPPER TUBE
- 1 years Product Warranty



## Alpha

Room Heater

1000W | 2000W



METAL BODY ENSURES SAFETY

Auto CUT-OFF

AUTO CUT-OFF TECHNOLOGY



NEON INDICATOR




NOICELESS



COMPACT HANDLE ENSURES MOBILITY

3 in 1

HOT WARM COOL



## Beta

Quartz Heater

### Specification

1000W

WATT



STAINLESS STEEL REFLECTOR



1.8 MTR CORD

0.65 mm

0.65MM BODY



## Gamma

Quartz Heater

### Specification

400/800W

2 HEAT SETTING



HEAVY SAFETY GRILL



HIGH HEATING EFFICIENCY



COMPACT HANDLE ENSURES MOBILITY

